

```

chain nodes :
  6 7 15
ring nodes :
  1 2 3 4 5 8 9 10 11 12 13
chain bonds :
  2-7 3-6 4-8 5-15
ring bonds :
  1-2 1-5 2-3 3-4 4-5 8-9 8-13 9-10 10-11 11-12 12-13
exact/norm bonds :
  1-2 1-5 2-3 2-7 3-4 3-6 4-5 5-15
exact bonds :
  4-8
normalized bonds :
  8-9 8-13 9-10 10-11 11-12 12-13

G1:O,S

Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:Atom 9:Atom
10:Atom 11:Atom 12:Atom 13:Atom 15:CLASS

```

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTARHH1626

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,

CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:12:01 ON 01 FEB 2008

FILE 'REGISTRY' ENTERED AT 15:12:14 ON 01 FEB 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 31 JAN 2008 HIGHEST RN 1001228-41-6
DICTIONARY FILE UPDATES: 31 JAN 2008 HIGHEST RN 1001228-41-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.



TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> Uploading C:\Program Files\Stnexp\Queries\10.563676\form1-corrected.str



chain nodes :

6 7 15

ring nodes :

1 2 3 4 5 8 9 10 11 12 13

chain bonds :

2-7 3-6 4-8 5-15

ring bonds :

1-2 1-5 2-3 3-4 4-5 8-9 8-13 9-10 10-11 11-12 12-13

exact/norm bonds :

1-2 1-5 2-3 2-7 3-4 3-6 4-5 5-15

exact bonds :

4-8

normalized bonds :

8-9 8-13 9-10 10-11 11-12 12-13

G1:O,S

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 15:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 15:12:37 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -          1 TO ITERATE

100.0% PROCESSED      1 ITERATIONS          1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:    1 TO      80
PROJECTED ANSWERS:       1 TO      80
```

L2 1 SEA SSS SAM L1

```
=> s l1 sss full
FULL SEARCH INITIATED 15:12:41 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -          28 TO ITERATE

100.0% PROCESSED      28 ITERATIONS         21 ANSWERS
SEARCH TIME: 00.00.01
```

L3 21 SEA SSS FUL L1

```
=> file caplus
COST IN U.S. DOLLARS          SINCE FILE        TOTAL
                                ENTRY           SESSION
FULL ESTIMATED COST          178.36          178.57
```

FILE 'CAPLUS' ENTERED AT 15:12:51 ON 01 FEB 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Feb 2008 VOL 148 ISS 6
FILE LAST UPDATED: 31 Jan 2008 (20080131/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>


=> s 13

L4 2 L3

=> d ibib abs hitstr tot

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:55230 CAPLUS
 DOCUMENT NUMBER: 142:155810
 TITLE: Preparation of pyrrole-2,5-dithione derivatives as liver X receptor modulators
 INVENTOR(S): Holm, Patrik
 PATENT ASSIGNEE(S): AstraZeneca AB, Swed.
 SOURCE: PCT Int. Appl., 64 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005005416	A1	20050120	WO 2004-SE1115	20040708
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MA, MD, MG, MK, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TK, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, TZ, T2, UG, ZM, ZW, AM, A2, BY, KG, KZ, MD, RO, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004256000	A1	20050120	AU 2004-256000	20040708
AU 2004256000	B2	20070726		
CA 2532068	A1	20050120	CA 2004-2532068	20040708
EP 1646625	A1	20060419	EP 2004-749151	20040708
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
CN 1820003	A	20060816	CN 2004-80019719	20040708
BR 2004012479	A	20060919	BR 2004-12479	20040708
JP 2007521313	T	20070802	JP 2006-520139	20040708
NO 2006000080	A	20060208	NO 2006-80	20060105
US 2006189663	A1	20060824	US 2006-563676	20060105
MX 2006PA00447	A	20060407	MX 2006-PA447	20060111
PRIORITY APPLN. INFO.: GB 2003-16237 A 20030711				
OTHER SOURCE(S): CASREACT 142:155810; MARPAT 142:155810			WO 2004-SE1115	W 20040708
GI				



AB The present invention relates to novel compds. I (R1 = (un)substituted phenylalkyl, heteroarylalkyl, alkyl; R2 = Ph; R3 = (un)substituted Ph, indolyl, benzofuranyl, etc.; X = O, S), to processes for preparing such compds., to their utility in modulation of nuclear hormone receptors Liver X Receptor (LXR) α (NR1H3) and/or β (NR1H2) and in treating clin. conditions including cardiovascular diseases such as


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
 atherosclerosis, inflammatory diseases, Alzheimer's disease, lipid disorders (dyslipidemias) whether or not assoc'd. with insulin resistance, type 2 diabetes and other manifestations of the metabolic syndrome, to methods for their therapeutic use and to pharmaceutical compns. contg. the compn. of twenty compds. I is described. E.g., a multi-step synthesis of I (X = O; R1 = 2-methoxyethyl; R2 = Ph; R3 = 4-MeOC₆H₄), starting from phenylmaleic anhydride was given. The compds. I have an EC₅₀ of c. 50 nM for LXR α and/or β in coactivator recruitment assays and/or reporter gene assays.

IT 828938-25-6P 828938-26-7P 828938-27-8P
 828938-28-9P 828938-29-0P 828938-30-3P
 828938-31-4P 828938-32-5P 828938-33-6P
 828938-34-7P 828938-35-8P 828938-36-9P
 828938-37-0P 828938-38-1P 828938-39-2P
 828938-40-5P 828938-41-6P 828938-42-7P
 828938-43-8P 828938-44-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of pyrrole-2,5-dithiones as liver X receptor modulators)


RN 828938-25-6 CAPLUS

CN 2H-Pyrrol-2-one, 1,5-dihydro-1-(2-methoxyethyl)-4-((4-methoxyphenyl)amino)-3-phenyl-5-thioxo- (CA INDEX NAME)




RN 828938-26-7 CAPLUS

CN 1H-Pyrrole-2,5-dithione, 1-(2-methoxyethyl)-3-((4-methoxyphenyl)amino)-4-phenyl-1-(4-phenylmethyl)-5-thioxo- (CA INDEX NAME)




L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

RN 828938-27-8 CAPLUS
 CN 2H-Pyrrol-2-one, 1,5-dihydro-4-((4-methoxyphenyl)amino)-3-phenyl-1-(3-pyridinylmethyl)-5-thioxo- (CA INDEX NAME)




RN 828938-28-9 CAPLUS
 CN 1H-Pyrrole-2,5-dithione, 3-((4-methoxyphenyl)amino)-4-phenyl-1-(3-pyridinylmethyl)-5-thioxo- (CA INDEX NAME)




RN 828938-29-0 CAPLUS
 CN 2H-Pyrrol-2-one, 1,5-dihydro-4-((4-methoxyphenyl)amino)-3-phenyl-1-(4-pyridinylmethyl)-5-thioxo- (CA INDEX NAME)

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 828938-30-3 CAPLUS


CN 1H-Pyrrole-2,5-dithione, 3-((4-methoxyphenyl)amino)-4-phenyl-1-(4-pyridinylmethyl)-5-thioxo- (CA INDEX NAME)




RN 828938-31-4 CAPLUS

CN 2H-Pyrrol-2-one, 1-butyl-1,5-dihydro-4-((4-methoxyphenyl)amino)-3-phenyl-5-thioxo- (CA INDEX NAME)


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 828938-32-5 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 1-butyl-3-[(4-methoxyphenyl)amino]-4-phenyl- (CA INDEX NAME)




RN 828938-33-6 CAPLUS
CN 2H-Pyrrol-2-one, 1,5-dihydro-4-[(4-methoxyphenyl)amino]-3-phenyl-5-thioxo-1-(2,2,2-trifluoroethyl)- (CA INDEX NAME)




RN 828938-34-7 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 3-[(4-methoxyphenyl)amino]-4-phenyl-1-(2,2,2-


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
RN 828938-37-0 CAPLUS
CN 2H-Pyrrol-2-one, 1,5-dihydro-4-[(4-methoxyphenyl)amino]-1-methyl-3-phenyl-5-thioxo- (CA INDEX NAME)




RN 828938-38-1 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 3-[(4-methoxyphenyl)amino]-1-methyl-4-phenyl- (CA INDEX NAME)




RN 828938-39-2 CAPLUS
CN 2H-Pyrrol-2-one, 1-ethyl-1,5-dihydro-4-[(4-methoxyphenyl)amino]-3-phenyl-5-thioxo- (CA INDEX NAME)




RN 828938-40-5 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 1-ethyl-3-[(4-methoxyphenyl)amino]-4-phenyl- (CA INDEX NAME)

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
CN trifluoroethyl- (CA INDEX NAME)

RN 828938-35-8 CAPLUS
CN 2H-Pyrrol-2-one, 1,5-dihydro-4-[(4-methoxyphenyl)amino]-3-phenyl-1-(phenylmethyl)-5-thioxo- (CA INDEX NAME)




RN 828938-36-9 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 3-[(4-methoxyphenyl)amino]-4-phenyl-1-(phenylmethyl)- (CA INDEX NAME)




L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
INDEX NAME)

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




RN 828938-41-6 CAPLUS
CN 2H-Pyrrol-2-one, 1-[(6-amino-3-pyridinyl)methyl]-4-[(4-difluoromethoxy)phenyl]amino]-1,5-dihydro-3-phenyl-5-thioxo- (CA INDEX NAME)




RN 828938-42-7 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 1-[(6-amino-3-pyridinyl)methyl]-3-[(4-difluoromethoxy)phenyl]amino]-4-phenyl- (CA INDEX NAME)

RN 828938-40-5 CAPLUS
CN 1H-Pyrrole-2,5-dithione, 1-ethyl-3-[(4-methoxyphenyl)amino]-4-phenyl- (CA INDEX NAME)


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 828938-43-8 CAPLUS
 CN 2H-Pyrrol-2-one, 1-[(6-amino-3-pyridinyl)methyl]-1,5-dihydro-4-[(4-(4-morpholinyl)phenyl)amino]-3-phenyl-5-thioxo- (CA INDEX NAME)




RN 828938-44-9 CAPLUS
 CN 1H-Pyrrole-2,5-dithione, 1-[(6-amino-3-pyridinyl)methyl]-3-[(4-(4-morpholinyl)phenyl)amino]-4-phenyl- (CA INDEX NAME)




REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1985:78664 CAPLUS
 DOCUMENT NUMBER: 102:78664
 ORIGINAL REFERENCE NO.: 102:12329a, 12332a
 TITLE: Sulfurization of C-substituted maleimides
 AUTHOR(S): Augustin, M.; Koehler, M.; Kazandjii, S.
 CORPORATE SOURCE: Sekt. Ch. der Martin-Luther-Univ., Halle/Saale,
 D-0610, Ger. Dem. Rep.
 SOURCE: Tetrahedron (1984), 40(18), 3499-502
 DOCUMENT TYPE: Journal
 LANGUAGE: German
 OTHER SOURCE(S): CASREACT 102:78664
 GI



AB C-Substituted maleimides, e.g. I, are thiated with the reagent II in toluene or xylene. Monothiation at the nonequivalent carbonyl groups occurs in a regiospecific way. Maleimides with 4-methylphenyl or dialkylamino groups are attacked on the carbonyl function which is far from the C-substituent and give the monothio compds. The thiation of maleimides with NH-groups on the double bond primary occurs on the neighboring carbonyl group in the neighborhood, which further react to the violet dithiomaleimides.

IT 94740-68-8
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 94740-68-8 CAPLUS
 CN 2H-Pyrrol-2-one, 1,5-dihydro-3-(4-methylphenyl)-1-phenyl-4-(phenylamino)-5-thioxo- (CA INDEX NAME)



=> log hold

COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
---------------------	------------------

FULL ESTIMATED COST

13.78	192.35
-------	--------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE ENTRY	TOTAL SESSION
---------------------	------------------

CA SUBSCRIBER PRICE

-1.60	-1.60
-------	-------

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 15:16:28 ON 01 FEB 2008